cadfocus

Autodesk Build	ling Design Suite Standard 2015
Supported OS	32-Bit OS ¹ :
	Microsoft® Windows® 7 Home Premium ², Professional, Ultimate, Enterprise
	Microsoft® Windows® 8/8.1, Pro, Enterprise ²
	64-bit OS:
	Microsoft Windows 7 Home Premium ² , Professional, Ultimate, Enterprise
	Microsoft Windows 8/8.1, Pro, Enterprise
	1 Autodock Obourses @ 0045 Autodock De Oos TM 0045 and AutoOAD®
	¹ Autodesk Showcase® 2015, Autodesk ReCap™ 2015, and AutoCAD®
	Structural Detailing 2015 not supported in 32-Bit.
	² Autodesk Recap 2015 not supported on Microsoft Windows 7 Home Premium
CPU Type	32-Bit OS:
Of O Type	Intel® Pentium® 4 or AMD® Athlon™ Dual Core, 3.0 GHz or Higher with
	SSE2 technology
	64-Bit OS:
	AMD Athlon™ 64 or AMD Opteron™ with SSE2 technology
	Intel Xeon® or Intel Pentium 4 with Intel EM64T support and SSE2
	technology
Memory	Minimum
	2 GB RAM (32-Bit OS: 3 GB Recommended; 64-Bit OS: 8 GB
	Recommended)
	Exceptions:
	AutoCAD Structural Detailing 2015, Autodesk ReCap 2015, Autodesk
	Showcase 2015
Wide -	4 GB RAM (8 GB Recommended)
Video	Minimum Windows display adoptor complete of 1004y700 (1000y1050 Decomposed of)
	Windows display adapter capable of 1024x768 (1600x1050 Recommended)
	with True Color capabilities
	Exceptions:
	Exooptions.
	3D Modeling in AutoCAD 2015, AutoCAD Architecture 2015, AutoCAD


MEP 2015, AutoCAD Raster Design 2015, AutoCAD Structural Detailing

	2015
	1280 x 1024 True color video display adapter 128 MB or greater, Pixel
	Shader 3.0 or greater, Direct3D® capable workstation class graphics card.
	Autodesk Showcase® 2015
	Certified hardware-accelerated graphics card with a minimum of 512MB
	graphics memory (1GB recommended) and DirectX® 9 support.
	Autodesk ReCap 2015
	Windows display adapter capable of 1600x1050 with True Color capabilities.
	OpenGL® 3.3 capable graphics device with 256 MB memory
ard Disk	15 GB
Pointing	Minimum
Device	MS-Mouse compliant (Three-button recommended)
Media	Download via internet or installation from USB 2.0 key
Connectivity	Internet connection for license registration, prerequisite component
	download, Subscription-enabled features, and full user assistance
	documentation.
Software	Minimum
	Microsoft Internet Explorer® 9.0 (or later)
Virtualization	Minimum
	Citrix® XenApp™ 6.5 FP1
	Citrix® XenDesktop™ 5.6
	Exceptions:
	AutoCAD Structural Detailing 2015, Autodesk Showcase 2015,
	AutoCAD Raster Design 2015, Autodesk ReCap 2015
	Not Supported

cadfocus

Autodesk Building Design Suite Premium 2015	
Supported OS	32-Bit OS 1:
	Microsoft® Windows® 7 SP1 Home Premium ² , Professional, Ultimate,
	Enterprise
	Microsoft® Windows® 8/8.1, Pro, Enterprise²
	64-bit OS:
	Microsoft Windows 7 SP1 Home Premium ² , Professional, Ultimate, Enterprise
	Microsoft Windows 8/8.1, Pro, Enterprise
	¹ Autodesk Showcase® 2015, Autodesk ReCap™ 2015, AutoCAD® Structural
	Detailing 2015, Autodesk Navisworks® Simulate 2015, Autodesk 3ds Max®
	2015, and Autodesk Revit® 2015 not supported in 32-Bit.
	² Autodesk Recap 2015, Autodesk 3ds Max 2015 not supported on Microsoft
CDUTymo	Windows 7 Home Premium
CPU Type	32-Bit OS : Intel® Pentium® 4 or AMD® Athlon™ Dual Core, 3.0 GHz or Higher with SSE2
	technology
	64-Bit OS:
	AMD Athlon™ 64 or AMD Opteron™ with SSE2 technology
	Intel Xeon® or Intel Pentium 4 with Intel EM64T support and SSE2 technology
Memory	Minimum
	2 GB RAM (32-Bit OS: 3 GB Recommended; 64-Bit OS: 8 GB Recommended)
	Exceptions:
	Exceptions.
	AutoCAD Structural Detailing 2015, Autodesk ReCap 2015, Autodesk 3ds
	Max 2015, Autodesk Showcase 2015, Autodesk Revit 2015 ¹
	4 GB RAM (8 GB Recommended)
	¹ Autodesk Revit 2015 software is only available as part of the Autodesk Building
	Design Suite 2015 Premium and Ultimate Editions, and the Autodesk
Video	Infrastructure Design Suite 2015 Ultimate Edition. Minimum
VIUCO	Windows display adapter capable of 1024x768 (1600x1050 Recommended) with
	The state of the s

	True Color capabilities
	Exceptions:
	3D Modeling in AutoCAD 2015, AutoCAD Architecture 2015, AutoCAD MEP
	2015, AutoCAD Raster Design 2015, AutoCAD Structural Detailing 2015
	1280 x 1024 True color video display adapter 128 MB or greater, Pixel Shader 3.0 or greater, Direct3D® capable workstation class graphics card.
	Autodesk Showcase® 2015
	Certified hardware-accelerated graphics card with a minimum of 512MB graphics
	memory (1GB recommended) and DirectX® 9 support.
	Autodesk ReCap 2015
	Windows display adapter capable of 1600x1050 with True Color capabilities.
	OpenGL® 3.3 capable graphics device with 256 MB memory
	Autodesk 3ds Max 2015
	Refer to the Recommended Hardware wizard for a detailed list of recommended
	systems and graphics cards Autodesk Navisworks Simulate 2015
	1,280 x 800 VGA display with true color (1,920 x 1,080 monitor and 32-bit video
	display adapter recommended). Direct3D and OpenGL capable graphics card
	with Shader Model 2 (minimum)
	Autodesk Revit 2015
	Windows display adapter capable of 1024x768 (1600x1050 Recommended) with
	True Color capabilities. DirectX® 11 capable graphics card with Shader Model
	3as recommended by Autodesk.
Hard Disk	35 GB
Pointing	Minimum MC Mayor compliant (Three bytten recommended)
Device Media	MS-Mouse compliant (Three-button recommended) Download via internet or installation from USB 2.0 key
Connectivity	Internet connection for license registration, prerequisite component download,
Connectivity	Subscription-enabled features, and full user assistance documentation.
Software	Minimum
	Microsoft Internet Explorer® 9.0 (or later)
Virtualization	Minimum
	Citrix® XenApp™ 6.5 FP1
	Citrix® XenDesktop™ 5.6
	Exceptions:



cadfocus

Autodesk Building Design Suite Ultimate 2015

Supported

32-Bit OS 1:

os

Microsoft® Windows® 7 SP1 Home Premium ², Professional, Ultimate,

Enterprise

Microsoft® Windows® 8/8.1, Pro, Enterprise2

64-bit OS:

Microsoft Windows 7 SP1 Home Premium ², Professional, Ultimate, Enterprise

Microsoft Windows 8/8.1, Pro, Enterprise

¹ Autodesk® Showcase® 2015, Autodesk ReCap™ 2015, AutoCAD
Structural Detailing 2015, Autodesk Navisworks® Manage 2015, Autodesk
3ds Max® 2015, and Autodesk Revit® 2015, Autodesk InfraWorks™ 2015,
Autodesk Robot™ Structural Analysis Professional 2015 not supported in 32-Bit.

² Autodesk Recap 2015, Autodesk 3ds Max 2015, Autodesk InfraWorks 2015, Autodesk Robot Structural Analysis Professional 2015 not supported on Microsoft Windows 7 Home Premium

CPU Type

32-Bit OS:

Intel® Pentium® 4 or AMD® Athlon™ Dual Core, 3.0 GHz or Higher with SSE2 technology

64-Bit OS:

AMD Athlon™ 64 or AMD Opteron™ with SSE2 technology Intel Xeon® or Intel Pentium 4 with Intel EM64T support and SSE2 technology

Exceptions:

Autodesk InfraWorks 2015

Dual-core Intel® Core™2 or equivalent AMD® processor (Quad-core Intel® Core™ i7, 6-core Intel® Xeon®, or better processor highly recommended); to use the ray traced rendering functionality, CPU must support SSE 4.1

Memory

Minimum

2 GB RAM (32-Bit OS: 3 GB Recommended; 64-Bit OS: 8 GB Recommended)

Exceptions:

AutoCAD Structural Detailing 2015, Autodesk ReCap 2015, Autodesk 3ds Max 2015, Autodesk Showcase 2015, Autodesk Revit 2015 ¹
4 GB RAM (8 GB Recommended)

Autodesk Robot Structural Analysis Professional 2015

8 GB RAM or greater

Autodesk Inventor® 2015

12 GB RAM or greater

Autodesk InfraWorks™ 2015

4 GB RAM (16+ GB Recommended)

¹ Autodesk Revit 2015 software is only available as part of the Autodesk Building Design Suite 2015 Premium and Ultimate Editions, and the Autodesk Infrastructure Design Suite 2015 Ultimate Edition.

Video

Minimum

Windows display adapter capable of 1024x768 (1600x1050 Recommended) with True Color capabilities

Exceptions:

3D Modeling in AutoCAD 2015, AutoCAD Architecture 2015, AutoCAD MEP 2015, AutoCAD Raster Design 2015, AutoCAD Structural Detailing 2015

1280 x 1024 True color video display adapter 128 MB or greater, Pixel Shader 3.0 or greater, Direct3D® capable workstation class graphics card.

Autodesk Showcase® 2015

Certified hardware-accelerated graphics card with a minimum of 512MB graphics memory (1GB recommended) and DirectX® 9 support.

Autodesk ReCap 2015

Windows display adapter capable of 1600x1050 with True Color capabilities. OpenGL® 3.3 capable graphics device with 256 MB memory

Autodesk 3ds Max 2015

	Refer to the Recommended Hardware wizard for a detailed list of
	recommended systems and graphics cards
	Autodesk Navisworks Manager 2015
	1,280 x 800 VGA display with true color (1,920 x 1,080 monitor and 32-
	bit video display adapter recommended). Direct3D and OpenGL capable
	graphics card with Shader Model 2 (minimum)
	Autodesk Revit 2015
	Windows display adapter capable of 1024x768 (1600x1050
	Recommended) with True Color capabilities. DirectX® 11 capable
	graphics card with Shader Model 3as recommended by Autodesk.
	Autodesk Inventor 2015
	Microsoft Direct3D 10 capable graphics card. Please refer to the
	Autodesk published graphics card information.
	Autodesk InfraWorks 2015
	Display resolution 1,280 x 1,024 or greater. Any DirectX® 10.1 capable
	graphics card with 2 GB (or more) graphics memory, supporting 8x
	Antialiasing (8x AA), such as NVIDIA Quadro 5000 or 6000 for desktops
	and NVIDIA Quadro 2000M or GeForce GT 650M for laptops; (Any
	DirectX 10.1 capable graphics card with 1 GB graphics memory
	supporting 2x antialiasing (2x AA) minimum)
	Autodesk Robot Structural Analysis Professional 2015
	At least 1280 x 1024 monitor and display adapter capable of 24-bit color.
	Dedicated video card with hardware support for OpenGL spec 1.4 or
	later and support for DirectX 9 or later.
Hard Disk	50 GB
Pointing	Minimum
Device	MS-Mouse compliant (Three-button recommended)
	Autodesk Revit 2015
	3Dconnexion® compliant device, if desired.
Media	Download via internet or installation from USB 2.0 key
Connectivity	Internet connection for license registration, prerequisite component
	download, Subscription-enabled features, and full user assistance
	documentation.
Software	Minimum
	Microsoft Internet Explorer® 9.0 (or later)
	Autodesk Inventor 2015
	Adobe® Flash® Player 10, Microsoft® Excel® 2010 or 2013 for

iFeatures, iParts, iAssemblies, thread customization, and spreadsheetdriven designs.

Autodesk Robot Structural Analysis Professional 2015

For Robot™ Extension Spreadsheet Calculator additionally Microsoft®

Office Excel® 2007 or 2010, 32-bit

Autodesk InfraWorks 2015

Google® Chrome™, or Firefox® web browser

Virtualization

Minimum

Citrix® XenApp™ 6.5 FP1

Citrix® XenDesktop™ 5.6

Exceptions:

AutoCAD Structural Detailing 2015, Autodesk Showcase 2015, AutoCAD Raster Design 2015, Autodesk 3ds Max Design 2015, Autodesk ReCap 2015, Autodesk Inventor 2015, Autodesk InfraWorks 2015, Autodesk Robot Structural Analysis Professional 2015

Not Supported

Autodesk Navisworks Manage 2015

Citrix® XenApp™ 6.5 FP1 not supported.